

QQQX2.E340089 - Electrically Isolated Semiconductor Devices - Component

Hinweis: Wir verbessern unsere Systeme und möglicherweise bemerken Sie fehlende/veraltete Daten. Während dieser Übergangszeit, rufen Sie bitte unser Konformitätszertifikat auf oder wenden Sie sich an unseren Kundendienst unter <https://www.ul.com/about/locations>.

Electrically Isolated Semiconductor Devices - Component

STARPOWER SEMICONDUCTOR LTD

E340089

988 Kexing Rd (Jiaxing Science City)
Nanhu District
Jiaxing, Zhejiang 314006 China

Marking: Company name and model designation.

Note: For additional marking information, refer to the [Guide Information Page](#).

C5.0 package, Model(s): GD200 followed by FF, HF or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

C5.0 package, Model(s): GD50 followed by FF, HF or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

C5.0 package, Model(s): GD75 followed by FF, HF or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

C6.1 package, Model(s): GD300 followed by HF, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

C6.1 package, Model(s): GD450 followed by HF, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

C6.1 package, Model(s): GD600 followed by HF, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

F1 package, Model(s): GD15 followed by ML, PJ, TU followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F1, followed by P, S or H, may be followed by N or F may be followed by letters and or numbers, may be followed by B29.

F1 package, Model(s): GD30 followed by ML, PJ, TU followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F1, followed by P, S or H, may be followed by N or F may be followed by letters and or numbers, may be followed by B29.

F1 package, Model(s): GD40 followed by ML, PJ, TU followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F1, followed by P, S or H, may be followed by N or F may be followed by letters and or numbers, may be followed by B29.

F1 package, Model(s): GD50 followed by ML, PJ, TU followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F1, followed by P, S or H, may be followed by N or F may be followed by letters and or numbers, may be followed by B29.

F1 package, Model(s): GD75 followed by ML, PJ, TU followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F1, followed by P, S or H, may be followed by N or F may be followed by letters and or numbers, may be followed by B29.

F1 package, Model(s): GD80 followed by ML, PJ, TU followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F1, followed by P, S or H, may be followed by N or F may be followed by letters and or numbers, may be followed by B29.

F2 package, Model(s): GD25 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

F2 package, Model(s): GD35 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

F3 package, Model(s): GD15 followed by PJ, followed by K, U, L, T, Y, or X, or F, followed by number 00 through 9999, followed by F3, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

L2 package, Model(s): GD10 followed by FS, PJ, PH, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by L2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

L2 package, Model(s): GD15 followed by FS, PJ, PH, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by L2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

L2 package, Model(s): GD20 followed by FS, PJ, PH, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by L2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

L2 package, Model(s): GD25 followed by FS, PJ, PH, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by L2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

L2 package, Model(s): GD30 followed by FS, PJ, PH, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by L2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

L2 package, Model(s): GD35 followed by FS, PJ, PH, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by L2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

L2 package, Model(s): GD50 followed by FS, PJ, PH, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by L2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

P2 package, Model(s): GD1400 followed by HF, MN, MP, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by P2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

Power Switching Semi-Conductors, Model(s): D6 Package, Series FD followed by a two or three-digit number, followed by DG, HC, or SG, followed by C, H, or S, followed by a two or three-digit number, followed by D6, may be followed by additional numbers and/or letters.

Power Switching Semi-Conductors, Model(s): D6 Package, Series GD followed by a two or three-digit number, followed by SD, or SG, followed by K, T, U, X, or Y, followed by a two or three-digit number, followed by D6, may be followed by additional numbers and/or letters.

Power Switching Semi-Conductors, Model(s): D6 Package, Series RD followed by a two or three-digit number, followed by DG or HC, followed by B or J, followed by a two or three-digit number, followed by D6, may be followed by additional numbers and/or letters.

Power Switching Semi-Conductors, Model(s): K8 Package, Series RD followed by a two or three digit number, followed by CL or HF, followed by R, followed by a two or three digit number, followed by K8, may be followed by additional letters and/or

followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s): RD60 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s): RD80 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s): TD11 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s): TD110 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s): TD30 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s): TD60 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s): TD80 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F1 package", Model(s): GD10 followed by ML, PJ, TU followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F1, followed by P, S or H, may be followed by N or F may be followed by letters and or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F2 package", Model(s): GD15 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F3 package", Model(s): GD10 followed by PJ, followed by K, U, L, T, Y, or X, or F, followed by number 00 through 9999, followed by F3, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F5.0 package", Model(s): GD25 followed by PJ, followed by T, Y, or X, followed by number 00 through 9999, followed by F5, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F5.0 package", Model(s): GD35 followed by PJ, followed by T, Y, or X, followed by number 00 through 9999, followed by F5, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "IGBT Power Modules", Model(s): GD followed by 150 through 600, followed by HT, followed by F, K, L, T, U, X, or Y, followed by 65 through 170, followed by C7, may be followed by additional suffixes.

Power Switching Semi-Conductors, "K1.0 package", Model(s): RD50 followed by FF, followed by J, followed by any number 00 through 9999, followed by K1, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "K1.0 package", Model(s): RD80 followed by FF, followed by J, followed by any number 00 through 9999, followed by K1, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "K2.0 package", Model(s): RD110 followed by FF, followed by J, followed by any number 00 through 9999, followed by K2, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may

Power Switching Semi-Conductors, "Package Type U1", Model(s): ID20 followed by FF, followed by T, Y, or X, followed by any number 00 through 9999, followed by U1, followed by one or two letters or numbers or both, may be followed by _A.

Power Switching Semi-Conductors, "Package Type U1", Model(s): ID30 followed by FF, followed by T, Y, or X, followed by any number 00 through 9999, followed by U1, followed by one or two letters or numbers or both, may be followed by _A.

Last Updated on 2021-11-02

Der Umstand, dass der Name oder das Produkt eines Unternehmens in dieser Datenbank aufgeführt ist, garantiert nicht, dass die Herstellung der jeweiligen Produkte dem Follow-Up-Service von UL unterliegt. Nur Produkte mit UL-Zeichen gelten als zertifiziert und sind vom Follow-Up-Service von UL abgedeckt. Prüfen Sie daher stets, ob ein Produkt das UL-Zeichen trägt.

UL gestattet die Weiterverwendung der im Online-Zertifizierungsverzeichnis enthaltenen Materialien unter den folgenden Bedingungen: 1. Alle Anleitungen, Baugruppen, Konstruktionen, Designs, Systeme und/oder Zertifizierungen (Dateien) müssen vollständig und auf nicht irreführende Weise ohne Manipulation der Daten (oder Zeichnungen) dargestellt werden. 2. Bei Weiterverwendung von Materialien muss der Vermerk „Aus dem Online-Zertifizierungsverzeichnis mit Genehmigung von UL nachgedruckt“ stets mit angegeben werden. Darüber hinaus muss das nachgedruckte Material einen Urheberrechtsvermerk in folgendem Format enthalten: "© 2022 UL LLC"